

CERTIFICATE

Issued to:
Applicant:
BRAYTRON S.R.L
B.DUL IULIU MANIU, NR.616, CORP B, ETAJ 1
SECTOR 6
061129 Bucharest, Romania

Product : Multiple portable socket-outlets
Trade name(s) : Braytron
Type(s)/model(s) : BY72-00030, BY72-00040, BY72-00060, BY72-00230, BY72-00240 and BY72-00260

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:

- a type test according to IEC 60884-1:2002, IEC 60884-1:2002/AMD1:2006, IEC 60884-1:2002/AMD2:2013, DIN VDE 0620-2-1:2016-01, DIN VDE 0620-2-1:2016-01/A1:2017-09, DIN VDE 0620-2-1:2021-02 Clause 10.5, UNE 20315-1-1:2017 and UNE 20315-1-2:2017
- an inspection of the factory location according to CENELEC Operational Document CIG 021
- a DEKRA certification agreement with the number 6058755
- the licensee is registered with the number 315042


DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on 15 October 2024 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 31-147446

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



MT Tonsi
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: Multiple portable socket-outlets
Trade name(s)	: Braytron
Type(s)/model(s)	: BY72-00030, BY72-00040, BY72-00060, BY72-00230, BY72-00240 and BY72-00260
Rated current	: 16 A
Rated voltage	: 250 V~
Rated power	: Max. 3680 W
Degree of protection	: IP20
Earthing	: With side earthing contacts
Design	: rewirable, with shutters
Standard sheet	: DIN 49440-1 C 2a of UNE 20315-1-2
Type of terminal	: Screw terminals
Description	: Body of thermoplastic material

Product data – type BY72-00030

Design : 3-fold; without switch.

Product data – type BY72-00040

Design : 4-fold; without switch.

Product data – type BY72-00060

Design : 6-fold; without switch.

Product data – type BY72-00230

Design : 3-fold; with switch.

Product data – type BY72-00240

Design : 4-fold; with switch.

Product data – type BY72-00260

Design : 6-fold; with switch.

TESTS**Test requirements**

IEC 60884-1:2002
IEC 60884-1:2002/AMD1:2006
IEC 60884-1:2002/AMD2:2013
DIN VDE 0620-2-1:2016-01
DIN VDE 0620-2-1:2016-01/A1:2017-09
DIN VDE 0620-2-1:2021-02 Clause 10.5
UNE 20315-1-1:2017
UNE 20315-1-2:2017

Test result

The test results are documented in DEKRA test file 620237400.

Additional information


The list of components is laid down in test report 6190324.50.

Conclusion

The examination has confirmed that all requirements were met.

Factory location

Daqishan, East Guanhaiwei Industrial Zone Cixi,
Ningbo, China

Trade name(s): Braytron stands for The logo for Braytron, with the word "Braytron" in a bold, black, sans-serif font. Below it, the tagline "fighting expert" is written in a smaller, lighter font.